

Document Title	Comment and Response Report	
Document Type	Reports and Templates	
Document No:	0001-CRR-001	
Version No:	1	
Author:	Selahle Consultancy & Projects Pty Ltd	

COMMENTS AND RESPONSES REPORT

INTEGRATED ENVIRONMENTAL IMPACT ASSESSMENT, WASTE MANAGEMENT LICENSE AND WATER USE LICENSE PROCESSES FOR THE PROPOSED WET FLUE GAS DESULFURISATION (WFGD) WASTE DISPOSAL FACILITIES FOR MEDUPI POWER STATION, LIMPOPO PROVINCE.

SUMMARY OF ENVIRONMENTAL ISSUES/CONCERNS AND SUGGESTIONS RAISED BY INTERESTED AND/OR AFFECTED PARTIES

Stakeholders who contributed issues ranging across all sectors of society are recorded in this Comments and Responses Report (C&RR). Similar issues raised have been grouped together. The name, affiliation and date of the commentator are also indicated.

Document Title	Comment and Response Report	
Document Type	Reports and Templates	
Document No:	0001-CRR-001	
Version No:	1	
Author:	Selahle Consultancy & Projects Pty Ltd	

Date of Comment, Format of comment, Name of organisation/I&AP	Comment	Response from EAP/Applicant/Specialist
REGISTRATION PHASE		
INTERESTED AND AFFECTED PARTIES		
02/06/2026 Comment sheet sent via email. Buschfeld Environmental Consulting (Mrs Lizl Koekemoer)	- Chances of dust from the waste facility contributing to the already excessive dust from the Matimba and Medupi ADFs. - Impact on Road Networks	The concerns raised are acknowledged and will be considered as part of the Environmental Impact Assessment (EIA). With regard to dust generation, the potential cumulative impact of dust emissions from the proposed Wet Flue Gas Desulphurisation (WFGD) Waste Disposal Facilities, together with existing sources such as the Matimba and Medupi Ash Disposal Facilities (ADFs), will be assessed as part of the environmental assessment process. Appropriate mitigation measures to minimise dust generation during both the construction and operational phases of the project will be identified and incorporated into the Environmental Management Programme (EMPr). Regarding the road network, the potential impacts of construction and operational traffic on existing roads, including increased traffic volumes, road safety, and road deterioration, will also be assessed as part of the Environmental Impact Assessment process. Appropriate

Document Title	Comment and Response Report	
Document Type	Reports and Templates	
Document No:	0001-CRR-001	
Version No:	1	
Author:	Selahle Consultancy & Projects Pty Ltd	

Date of Comment, Format of comment, Name of organisation/I&AP	Comment	Response from EAP/Applicant/Specialist
		mitigation measures will be recommended where potential impacts are identified.
20/05/2026 Comment sent via comment sheet. Community member (Miss Conny Shongoane)	- No comment, registered as an Interested and Affected Party	The comment sheet is acknowledged. The Interested and Affected Party has been added to the project database and will be engaged throughout the Environmental Impact Assessment process.
20/05/2026 Comment sent via comment sheet. Community member (Mr Machael Baloyi)	- Dust and Air Pollution	Acknowledged, the potential cumulative impact of dust emissions from the proposed WFGD Waste Disposal Facilities, together with existing sources such as the Matimba and Medupi Ash Disposal Facilities (ADFs), will be assessed as part of the environmental assessment process. Appropriate mitigation measures to minimise dust generation during both the construction and operational phases of the project will be identified and incorporated into the Environmental Management Programme (EMPr), where necessary. The Interested and Affected Party has been added to the project database and will be engaged further throughout the project.
20/05/2026 Comment sent via comment sheet. Community member (Dlayani Given Sithole)	- Dust and Air Pollution	Acknowledged, the potential cumulative impact of dust emissions from the proposed WFGD Waste Disposal Facilities, together with existing sources such as the Matimba and Medupi Ash Disposal Facilities (ADFs), will

Document Title	Comment and Response Report	
Document Type	Reports and Templates	
Document No:	0001-CRR-001	
Version No:	1	
Author:	Selahle Consultancy & Projects Pty Ltd	

Date of Comment, Format of comment, Name of organisation/I&AP	Comment	Response from EAP/Applicant/Specialist
		be assessed as part of the environmental assessment process. Appropriate mitigation measures to minimise dust generation during both the construction and operational phases of the project will be identified and incorporated into the Environmental Management Programme (EMPr). The Interested and Affected Party has been added to the project database and will be engaged further throughout the project.
20/05/2026 Comment sent via comment sheet. Community member (Ms Salome Rankgowe Mautla)	- No comment, registered as an Interested and Affected Party	The comment sheet is acknowledged. The Interested and Affected Party has been added to the project database and will be engaged throughout the Environmental Impact Assessment process.
20/05/2026 Comment sent via comment sheet. Community member (Mrs Ramasela Magwai)	- No comment, registered as an Interested and Affected Party	The comment sheet is acknowledged. The Interested and Affected Party has been added to the project database and will be engaged throughout the Environmental Impact Assessment process.
03/06/2026 Comment sent via email. Manzo Engineering services (Enrico Nkwanyana)	- We recently came across an enquiry related to the construction of ablution facilities in the Lephalale area. We are very interested in this project and would like to inquire if there is an opportunity for us to	The enquiry is acknowledged. The Environmental Assessment Practitioner (EAP) is not involved in procurement or tender processes and is therefore not aware of any tenders relating to the construction of ablution facilities in the Lephalale area.

Document Title	Comment and Response Report	
Document Type	Reports and Templates	
Document No:	0001-CRR-001	
Version No:	1	
Author:	Selahle Consultancy & Projects Pty Ltd	

Date of Comment, Format of comment, Name of organisation/I&AP	Comment	Response from EAP/Applicant/Specialist
	participate in the bidding process. - - Please let us know if there are any specific requirements or documentation needed to be considered for the tender. - - We look forward to your response and the possibility of collaborating on this project	The role of the EAP is limited to undertaking the Integrated Environmental application and Water Use Licence processes for the proposed Wet Flue Gas Desulphurisation (WFGD) Waste Disposal Facilities at Medupi Power Station. As part of the Public Participation Process, Interested and Affected Parties have been notified of the proposed development in accordance with the EIA regulations 2014, amended.
28/05/2026 Comment sent via whatsapp. Community member (Carmen Bousema)	- We are from Steenbokpan Community, and we own the property on the crossing with the following to offer; - o Storage for large equipment - o Accommodation self-catering - o Accommodation (Fully serviced)	The comment is acknowledged. The Environmental Assessment Practitioner (EAP) is responsible for undertaking the Integrated Environmental Impact Assessment, Waste Management Licence and Water Use Licence processes for the proposed WFGD Waste Disposal Facilities. The Interested and Affected Party has been added to the project database and will continue to receive updates throughout the Environmental Impact Assessment process.